

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A mop for use in mopping floors comprising:

a handle, the handle has a distal end and a proximal end, the handle extends along a longitudinal axis;

a pusher, the pusher is slideably connected to the handle, the pusher is able to slideably move toward the distal end of the handle, the pusher is able to slideably move toward the proximal end of the handle, the pusher has a distal end and a proximal end;

a mop element support having a length and a width, the length being longer than the width, a transverse axis is disposed along the length, the mop element support has an upper surface and a lower surface, the upper surface of the mop element support is connected to the distal end of the handle, the mop element support has a first hinge line, the mop element support is able to fold along the first hinge line, the first hinge line is along ~~a~~the transverse axis, the transverse axis is perpendicular to the longitudinal axis; and

a mop element, the mop element is adjacent to the lower surface of the mop element support, the mop element is able to fold along the first hinge line,

wherein movement of the pusher toward the distal end of the handle causes the pusher to engage the mop element support such that the mop element support and the mop element fold along the first hinge line, and movement of the pusher toward the proximal end of the handle causes the pusher to engage the mop element support such that the mop element support and the mop element are unfolded along the first hinge line.
2. (Original) The mop as in claim 1 wherein the distal end of the pusher has two arms.
3. (Original) The mop as in claim 2 wherein the arms engage the mop element support when the pusher is moved toward the distal end of the handle.
4. (Original) The mop as in claim 2 wherein each arm has a cam engaging surface.
5. (Original) The mop as in claim 1 wherein the mop element support has a front cam and a rear cam.

6. (Original) The mop as in claim 5 wherein the front cam and the rear cam are attached to the mop element support.

7. (Original) The mop as in claim 5 wherein the front cam has a central portion, a distal portion and a stop portion.

8. (Original) The mop as in claim 7 wherein the stop portion is at an angle of approximately 90° to the central portion and the distal portion is at an angle of approximately 130° to the central portion.

9. (Original) The mop as in claim 5 wherein the rear cam has a center portion, a lower arm and an upper arm.

10. (Original) The mop as in claim 9 wherein the lower arm is at an angle of approximately 90° to the center portion and the upper arm as at an angle of approximately 90° to the center portion.

11. (Original) The mop as in claim 7 wherein the stop portion engages the pusher to limit the movement of the pusher toward the proximal end.

12. (Original) The mop as in claim 1 wherein the mop element support has a second hinge line.

13. (Original) The mop as in claim 12 wherein the second hinge line is substantially parallel to the first hinge line.

14. (Original) The mop as in claim 1 wherein the mop element support has a first portion and a second portion, the first portion is connected to the second portion along the first hinge line.

15. (Original) The mop as in claim 14 wherein the mop element support has a third portion, the third portion is connected to the first portion along a second hinge line.

16. (Original) The mop as in claim 1 wherein the mop element support includes a fluid opening.

17. (Original) The mop as in claim 1 wherein the mop element support includes an attachment portion for a scrub brush.

18. (Original) The mop as in claim 1 wherein the mop element support includes a scrub brush.

19. (Original) The mop as in claim 1 wherein the mop element is removable from the mop element support.

20. (Original) The mop as in claim 19 wherein the mop element includes a sponge.

21. (Original) The mop as in claim 20 wherein the mop element includes a sponge holder, the sponge holder attaches to the mop element support.

22. (Original) The mop as in claim 20 wherein the mop element includes a scrubber strip.

23. (Original) The mop as in claim 1 wherein the pusher includes a grip portion and a yoke portion.

24. (Original) The mop as in claim 23 wherein the grip portion is removable from the yoke portion.

25. (Original) The mop as in claim 23 wherein the grip portion includes an overmolded material.

26. (Original) The mop as in claim 1 wherein the handle includes a boss on the distal end of the handle.

27. (Original) The mop as in claim 26 wherein the boss is connected to the mop element support.